

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	926	370/331.ccls. and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 11:53
S2	119	370/331.ccls. and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:46
S3	2	370/331.ccls. and seamless and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:11
S4	4	370/331.ccls. and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:46
S5	0	"6799204".pn. and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:43
S6	1	"6799204".pn. and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/31 08:20
S7	0	370/331.ccls. and (pre-configur\$3 or preconfigur\$3) with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 13:28
S8	0	370/331.ccls. and (pre-configur\$3 or preconfigur\$3) with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/23 13:29
S9	2	"370"/\$.ccls. and (pre-configur\$3 or preconfigur\$3) with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/23 13:30
S10	4	"370"/\$.ccls. and configur\$3 with subnetwork and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/23 13:33
S11	32	"370"/\$.ccls. and PANA OR IKE AND seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:11
S12	190	"370"/\$.ccls. and (established or configured) with IP and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 13:58
S13	0	"370"/\$.ccls. and (established or configured) with IP and seamless with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 13:58
S14	40	"370"/331.ccls. and (established or configured) with IP and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:16
S15	0	"370"/331.ccls. and seamless with (mobility or roaming) and ipsec adj tunnel and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:17
S16	4	"370"/\$.ccls. and seamless with (mobility or roaming) and ipsec adj tunnel and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:22
S17	4272999	"370"/\$.ccls. and "802.11i" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:22
S18	10	"370"/\$.ccls. and "802.11i" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:59

S19	0	"370"/\$.ccls. and pre-authentication and "802.11i" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:59
S20	0	"370"/\$.ccls. and preauthentication and "802.11i" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:00
S21	1	preauthentication and "802.11i" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:00
S22	2	"370"/\$.ccls. and ("preauthentication" or "pre-authentication") and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:01
S23	0	"370"/\$.ccls. and PANA and EAP AND seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:11
S24	9	"370"/\$.ccls. and EAP AND seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:11
S25	227	370/331,338.ccls. and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:46
S26	21	370/331,338.ccls. and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 16:21
S27	2	370/331,338.ccls. and handoff and ("pre-authentication" or "preauthentication") and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/23 16:22
S28	2	370/331,338.ccls. and handoff and ("pre-authentication" or "preauthentication") and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/23 16:36
S29	5	handoff and ("pre-authentication" or "preauthentication") and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/23 16:42
S30	3	handoff and disassociating with access and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/23 16:42
S31	2423	370/331,338.ccls. and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/24 16:48
S32	0	445/436.ccls. and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/24 16:48
S33	1488	455/436.ccls. and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/24 16:48
S34	2423	S31 or S32	US-PGPUB; USPAT	OR	OFF	2005/05/24 16:48
S35	21	370/331,338.ccls. and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:26
S36	9305	370/331,338.ccls. and handover or roam\$3 and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:27

S37	83	370/331,338.ccls. and (handover or roam\$3) same seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:27
S38	2	370/331,338.ccls. and (handover or roam\$3) same seamless and ("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:29
S39	2	370/331,338.ccls. and seamless and ("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:29
S40	2	370/331,338.ccls. and ("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") with (mobile or STA or client) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:37
S41	2	370/331,338.ccls. and ("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") same (mobile or STA or client) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:37
S42	47	("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") same (mobile or STA or client) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:37
S43	4	("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") same (mobile or STA or client) and (roam\$3 or handover) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:43
S44	10	("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") same (mobile or STA or client) and (roam\$3 or handoff or hand-off or handover) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/25 09:55

S45	12	("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") same (mobile or STA or client) and (roam\$3 or handoff or hand-off or handover) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 10:26
S46	12	("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish") same (mobile or STA or client) and (roam\$3 or handoff or hand-off or handover) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 09:59
S47	0	"EAP-TLV" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 10:00
S48	460	"EAP" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 10:00
S49	45	"EAP" with "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 10:00
S50	24	("pre-configuring" or "preconfigure" or "preconfiguring" or "pre-establishing" or "preestablishing" or "preestablish" or pre-authenticat\$4 or preauthenticat\$4) same (mobile or STA or client) and (roam\$3 or handoff or hand-off or handover) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:05
S51	4	"802.11i" and "802.11x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:06
S52	51	"802.11i" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:08
S53	301	"802.11x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:08
S54	0	"802.11x" and pre-authentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:08
S55	8	"802.11x" and pre-authentication or preauthentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:11
S56	46	"802.11x" and (roam\$3 or hand-off or handoff or seamless) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:12
S57	4	"802.11x" and (roam\$3 or hand-off or handoff or seamless) and (preconfigur\$4 or pre-configu\$4) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:15

S58	62	(roam\$3 or hand-off or handoff or seamless) and (preconfigur\$4 or pre-configu\$4) with (mobile or STA or client) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:15
S59	69	(roam\$3 or hand-off or handoff or seamless) and (preconfigur\$4 or pre-configu\$4 or pre-authenticat\$4) with (mobile or STA or client) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:36
S60	23	(pre-configur\$5 or pre-authenticat\$5 or preconfigur\$5 or preauthenticat\$5) with (mobile or sta) and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:55
S61	467	access adj point and (roam\$3 or hand-off or handoff or handover) and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 12:56
S62	20	access adj point and (roam\$3 or hand-off or handoff or handover) and seamless and EAP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:04
S63	0	pre-configuring with mobile with IP and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:04
S64	0	pre-configur\$5 with mobile with IP and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:05
S65	0	pre-configur\$5 with STA with IP and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:05
S66	13	pre-configur\$5 with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:06
S67	2	pre-authenticat\$5 with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:34
S68	2774237	"802.1x" over IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:08
S69	0	"802.1x over IP" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:08
S70	932	(roam\$3 or hand-off or handoff or handover or hand-over) same "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:10
S71	8	(roam\$3 or hand-off or handoff or handover or hand-over) same "access point" and pre-authentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:18

S72	143	(roam\$3 or hand-off or handoff or handover or hand-over) same "access point" and (neighbor\$3 or candidate or subnetwork) with ("AP" or "Access point") and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:26
S73	6	(roam\$3 or hand-off or handoff or handover or hand-over) and EAP with MAC and IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:03
S74	0	(roam\$3 or hand-off or handoff or handover or hand-over) and EAP with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:30
S75	1	EAP with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:31
S76	195	"802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 13:33
S77	22	"802.1x" and new adj AP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 15:23
S78	5	pre-authentication and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:08
S79	9	(pre-authentication or pre-configuration) with mobile and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:10
S80	805	seamless\$2 with (handoff or hand-over or hand-off or roam\$3 or handover) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:11
S81	260	seamless\$2 with (handoff or hand-over or hand-off or roam\$3 or handover) and "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:11
S82	111	seamless\$2 with (handoff or hand-over or hand-off or roam\$3 or handover) and "access point" and new adj (subnetwork or network or access point)and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:26
S83	4310789	resolv\$3 with access adj point in new and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:26
S84	4	resolv\$3 with access adj point with new and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:27
S85	195	"802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:27
S86	143	"802.1x" with authenticat\$5 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:37
S87	20	"802.1x" with authenticat\$5 and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:40

S88	0	"layer 3 pre-configuration" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:41
S89	0	"layer3 pre-configuration" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:41
S90	5	"layer 3" with "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:44
S91	1	"IPsec" adj tunnel and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:44
S92	1	"IPsec" adj tunnel and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:45
S93	1	PANA and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:45
S94	2	PANA and iKE and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 14:45
S95	43	(roam\$3 or hand-off or handoff or handover or hand-over) and EAP and mobile with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:03
S96	0	pre-authentication with IP and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:08
S97	1	pre-authentication with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:22
S98	7	pre-registration with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:36
S99	1	pre-registration with hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:43
S100	1	pre-registration same hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:43
S101	1	pre-regist\$6 same hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:43
S102	8	pre-regist\$6 same handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:51
S103	2	pre-regist\$6 and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:53
S104	107	pre-regist\$6 and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:55
S105	2	pre-regist\$6 with IP and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 15:56
S106	1	pre-regist\$6 with IP and hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 16:05
S107	7	pre-regist\$6 and low with latency with handoffs and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 16:07
S108	3	10/138,389 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 16:47

S10 9	7	"L3 handoff" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 16:54
S11 0	0	preconfigur\$5 with "L3" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 16:54
S11 1	26	(hand-off or hand-over or handoff or handover or roam\$3) with "L3" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:07
S11 2	141	(hand-off or hand-over or handoff or handover or roam\$3) with static and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:07
S11 3	0	(hand-off or hand-over or handoff or handover or roam\$3) with static with candidate with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:07
S11 4	0	(hand-off or hand-over or handoff or handover or roam\$3) and static with candidate with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:08
S11 5	0	static with candidate with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:07
S11 6	304	candidate with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:07
S11 7	0	candidate with IP same hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/25 17:07
S11 8	47	(hand-off or hand-over or handoff or handover or roam\$3) and candidate with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 14:01
S11 9	12	(hand-off or hand-over or handoff or handover or roam\$3) and candidate with IP and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 14:24
S12 0	533	(hand-off or hand-over or handoff or handover or roam\$3) and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:27
S12 1	59	seamless with (hand-off or hand-over or handoff or handover or roam\$3) and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 08:23
S12 2	2	preconfigur\$5 with (mobile or MN or MD or MT or STA) and (hand-off or hand-over or handoff or handover or roam\$3) and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 08:42
S12 3	12	pre-configur\$5 with (mobile or MN or MD or MT or STA) and (hand-off or hand-over or handoff or handover or roam\$3) and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 08:44



S12 4	1	pre-configur\$5 with (mobile or MN or MD or MT or STA) and soft with (hand-off or hand-over or handoff or handover or roam\$3) and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 08:46
S12 5	52	soft with (hand-off or hand-over or handoff or handover or roam\$3) and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:28
S12 6	19	AP with DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:17
S12 7	0	soft with (hand-off or hand-over or handoff or handover or roam\$3) and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:28
S12 8	82	(hand-off or hand-over or handoff or handover or roam\$3) and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:52
S12 9	4656	(hand-off or hand-over or handoff or handover or roam\$3) and CARD and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:52
S13 0	58	(hand-off or hand-over or handoff or handover or roam\$3) and CARD and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:53
S13 1	1	(hand-off or hand-over or handoff or handover or roam\$3) and candidate with discovery and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 09:58
S13 2	33	(hand-off or hand-over or handoff or handover or roam\$3) and candidate with discovery and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 10:18
S13 3	4	"pre-registration handoff" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:25
S13 4	4	"pre registration handoff" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:25
S13 5	0	(hand-off or hand-over or handoff or handover or roam\$3) and dissociating and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:29
S13 6	13	(hand-off or hand-over or handoff or handover or roam\$3) and dissociating and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:29
S13 7	3	(pre-authenticat\$5 or pre-establishing) with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:37
S13 8	6	(pre-authenticat\$5 or pre-establish\$4) with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:37

S13 9	17	(pre-authenticat\$5 or pre-establish\$4 or pre-configur\$5) with mobile and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:49
S14 0	10	virtual with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 11:47
S14 1	32	(pre-authenticat\$5 or pre-establish\$4 or pre-configur\$5) with mobile and (hand-off or handoff or handover or hand-over) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:27
S14 2	0	"802.11x" with "pre-authentication" and (hand-off or handoff or handover or hand-over) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:28
S14 3	0	"802.11x" same "pre-authentication" and (hand-off or handoff or handover or hand-over) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:28
S14 4	29	"802.11x" and (hand-off or handoff or handover or hand-over) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:42
S14 5	52	temporal and home and care\$15 and (hand-off or handoff or handover or hand-over) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:55
S14 6	2	temporal with address and home and care\$15 and (hand-off or handoff or handover or hand-over) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:37
S14 7	2	"802.1x" with pre-authentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:54
S14 8	2	"802.1x" same pre-authentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:44
S14 9	26	"802.1x" and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:46
S15 0	0	mobile with IP with pre-authentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:55
S15 1	2	"pre-authentication" with mobile and (hand-off or handoff or handover or hand-over or roam\$3) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:57
S15 2	0	"pre-authentication" with IP and (hand-off or handoff or handover or hand-over or roam\$3) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:57

S15 3	319	(hand-off or hand-over or handoff or handover or roam\$3) and resolv\$3 with address and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 14:01
S15 4	106	(hand-off or hand-over or handoff or handover or roam\$3) and resolv\$3 with address and seamless and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 14:02
S15 5	2	"0118656"	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:22
S15 6	0	"2002/0118656"	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:22
S15 7	0	2002/0118656	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:22
S15 8	0	2002/0118656 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 14:24
S15 9	1	"20020118656" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 14:24
S16 0	31	"802.1x" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 15:39
S16 1	66	fast adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 17:22
S16 2	128	370/331,338,401.ccls. and IP adj mobility and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 17:35
S16 3	14	resolv\$4 with IP with access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 17:22
S16 4	903	370/331,338,401.ccls. and (hand-off or handoff) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 17:30
S16 5	15	370/331,338,401.ccls. and (hand-off or handoff) and inter-domain and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/26 17:30
S16 6	52	370/331,338,401.ccls. and IP adj mobility and DHCP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 13:23
S16 7	7	370/331,338,401.ccls. and IP with beacon and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 15:52
S16 8	28	370/331,338,401.ccls. and DHCP with mac with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:25
S16 9	2	370/331,338,401.ccls. and static with DHCP with mac with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:00
S17 0	0	370/331,338,401.ccls. and AP with DHCP with mac with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:56

S17 1	1	370/331,338,401.ccls. and point with DHCP with mac with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:01
S17 2	2	370/331,338,401.ccls. and DHCP with list with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:51
S17 3	2	"370"/\$.ccls. and DHCP with list with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:27
S17 4	15	DHCP with list with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:28
S17 5	0	DHCP with list with MAC with IP with static and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:28
S17 6	15	DHCP with list with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:30
S17 7	0	resolve with static with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:30
S17 8	0	resolv\$3 with static with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:30
S17 9	1	resolv\$3 with statically with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:31
S18 0	5	nearby with AP with address and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:32
S18 1	221	DHCP with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:33
S18 2	11	DHCP with MAC with IP with access with point and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:36
S18 3	9	static adj address with resolution and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:45
S18 4	1	static adj resolution and AP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:45
S18 5	0	static adj resolution and WLAN and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:45
S18 6	22	static adj resolution and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:45
S18 7	5	370/331,338,401.ccls. and virtual with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:56
S18 8	10	virtual with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:55
S18 9	1	370/331,338,401.ccls. and vpn adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:03
S19 0	0	370/331,338,401.ccls. and vpn adj hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 16:57
S19 1	0	370/331,338,401.ccls. and evp-tlv and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:00

S19 2	0	evp-tlv and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:00
S19 3	0	evptlv and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:00
S19 4	0	eap-tlv and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:00
S19 5	0	eaptlv and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:00
S19 6	141	370/331,338,401.ccls. and ipsec and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:03
S19 7	23	370/331,338,401.ccls. and ipsec and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/27 17:04
S19 8	141	370/331,338,401.ccls. and ipsec and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:42
S19 9	127	ipsec and home adj address and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/05/31 08:21
S20 0	2	370/331,338,401.ccls. and redirecting with traffic with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:44
S20 1	4	370/331,338,401.ccls. and pre-established with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:45
S20 2	12	370/331,338,401.ccls. and pre-configured with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:45
S20 3	5	370/331,338,401.ccls. and pre-configured with IP and secur\$4 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:45
S20 4	0	370/331,338,401.ccls. and pre-configured with IP with secur\$4 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:45
S20 5	0	370/331,338,401.ccls. and pre-registered with IP with secur\$4 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:45
S20 6	0	370/331,338,401.ccls. and pre-register with IP with secur\$4 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 09:46
S20 7	5	370/331,338,401.ccls. and roam\$3 with IP with secur\$4 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 10:36
S20 8	1270184	370/331,338,401.ccls. and roam\$3 and layer "2" and layer S199 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 10:36
S20 9	34	370/331,338,401.ccls. and roam\$3 and "layer 2" and "layer 3" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 11:24

S21 0	8	370/331,338,401.ccls. and osi and vpn and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/05/31 11:24
S21 1	2	static with resolution with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 07:44
S21 2	0	static with AP with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 07:44
S21 3	68	static with AP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 07:48
S21 4	66	static with IP with MAC and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:08
S21 5	10	static with IP with MAC and (roam\$3 or handoff) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:09
S21 6	0	static with IP with MAC and "IP mobility" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:10
S21 7	104	static and "IP mobility" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:10
S21 8	6	static with DHCP and "IP mobility" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:12
S21 9	5	EAP and tlv and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:17
S22 0	0	reslov\$3 with access with point with static with dynamic and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:18
S22 1	0	reslo\$6 with access with point with static with dynamic and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:18
S22 2	0	reslo\$6 with MAC with IP with static with dynamic and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:18
S22 3	16	MAC with IP with static with dynamic and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:18
S22 4	0	MAC with IP with static with dynamic and wlan and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:18
S22 5	0	MAC with IP with static with dynamic and AP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:18
S22 6	1	MAC with IP with static with dynamic and "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:36
S22 7	315	ARP and "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:36
S22 8	31	ARP with DHCP and "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:39

S22 9	0	static with ARP with DHCP and "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:39
S23 0	5	static with ARP and "access point" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:41
S23 1	3	IP with nearby with AP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:42
S23 2	0	resolv\$3 with AP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:42
S23 3	0	resolv\$3 with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:42
S23 4	1387	resolv\$3 with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:42
S23 5	12	resolv\$3 with IP with static and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:42
S23 6	12	resolv\$3 with IP with static and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:43
S23 7	0	resolv\$3 with MAC with IP with static and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:43
S23 8	111	resolv\$3 with MAC with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:44
S23 9	18	resolv\$3 with MAC with IP and access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:46
S24 0	4	resolv\$3 with MAC with IP and static and access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:50
S24 1	4	resolv\$3 with IP with access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 08:47
S24 2	3	resolv\$3 with MAC with IP and static with DHCP and access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 10:04
S24 3	11745	"802.1x" access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 10:04
S24 4	158	"802.1x" and access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 10:07
S24 5	0	"802.1x" adj frame and access adj point and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:08
S24 6	0	"802.1x" adj frame and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:08
S24 7	11	"802.1x" with frame and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:18
S24 8	0	"802.1x over IP" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:19
S24 9	0	"pre-authentication over IP" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:25

S25 0	0	PANA and IKEv2 and EAP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:25
S25 1	0	PANA and IKEv2 and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:49
S25 2	9	associated with pre-authentication and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 10:56
S25 3	85	EAP and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 11:10
S25 4	67	proxy and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 11:38
S25 5	85	EAP and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 11:42
S25 6	1	reliable with transport and "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/02 11:43
S25 7	1	EAP with IKEv2 and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:20
S25 8	2	"802.1x" with tcp and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:26
S25 9	12	"802.1x" same tcp and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:23
S26 0	2	"802.1x" same tcp same EAP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:36
S26 1	9	"802.1x" with transport and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:35
S26 2	2	"802.1x" with TCP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:35
S26 3	17	tcp with EAP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:52
S26 4	1	370/401,331,338.ccls. and new with network with address with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:53
S26 5	112	370/401,331,338.ccls. and subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:53
S26 6	112	370/401,331,338.ccls. and subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:55
S26 7	8	370/401,331,338.ccls. and subnet with mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:59
S26 8	1	370/401,331,338.ccls. and obtain with mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:12
S26 9	2	370/401,331,338.ccls. and address with subnet with mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:03
S27 0	22	address with subnet with mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:57



S27 1	8	370/401,331,338.ccls. and subnet adj mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 16:59
S27 2	32	subnet adj mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:03
S27 3	54	subnet adj mask and roam\$3 and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:03
S27 4	9	370/401,331,338.ccls. and subnet adj mask and roam\$3 and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:06
S27 5	26	access adj point and subnet adj mask and roam\$3 and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:08
S27 6	5	access adj point and subnet adj mask with new and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:11
S27 7	50	access adj point and subnet adj mask with network and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:11
S27 8	5	access adj point and new with network with address with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:12
S27 9	6	370/401,331,338.ccls. and IP adj mobility and subnet adj mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:19
S28 0	13	370/401,331,338.ccls. and server with subnet adj mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:20
S28 1	57	370/401,331,338.ccls. and IP adj address with subnet adj mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:22
S28 2	2	370/401,331,338.ccls. and IP adj address with subnet adj mask and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/02 17:22
S28 3	59	IP same "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/09 17:35
S28 4	31	IP with "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/09 14:44
S28 5	9	IP with over with "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/09 14:46
S28 6	2	"802.11" with "802.1x" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/09 14:47
S28 7	57	"802.11" with "802.1x" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/09 14:47
S28 8	0	370/331,338,401.ccls. and vpn with handoff and OSI with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 16:03

S28 9	1	370/331,338,401.ccls. and vpn with handoff and IP with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:38
S29 0	1	370/331,338,401.ccls. and vpn with OSI and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 16:05
S29 1	1	370/331,338,401.ccls. and vpn adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:01
S29 2	2	370/331,338,401.ccls. and OSI with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:05
S29 3	10	370/331,338,401.ccls. and "layer 3" with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:04
S29 4	0	370/331,338,401.ccls. and "layer 3" with handoff and vpn and osi and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:04
S29 5	0	370/331,338,401.ccls. and "layer 3" with handoff and vpn and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:04
S29 6	0	"layer 3" with handoff and vpn and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:04
S29 7	7322	370/331,338,401.ccls. and vpn handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:05
S29 8	1	370/331,338,401.ccls. and vpn adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:05
S29 9	5	370/331,338,401.ccls. and vpn with roam\$3 with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:44
S30 0	1	vpn adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:43
S30 1	3	vpn with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:43
S30 2	0	370/331,338,401.ccls. and vpn with handover and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:45
S30 3	4	370/331,338,401.ccls. and vpn with hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:49
S30 4	9	370/331,338,401.ccls. and vpn with access with point and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:50
S30 5	5	370/331,338,401.ccls. and virtual with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:53
S30 6	2	370/331,338,401.ccls. and virtual with soft with hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 18:02
S30 7	22	370/331,338,401.ccls. and CDMA with soft with hand-off and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:56

S30 8	1	370/331,338,401.ccls. and CDMA with soft with hand-off and "layer 3" and "layer 2" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:56
S30 9	0	CDMA with soft with hand-off and "layer 3" with before with "layer 2" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:57
S31 0	0	soft with hand-off and "layer 3" with before with "layer 2" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:57
S31 1	1	CDMA with soft with handoff and "layer 3" with before with "layer 2" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:58
S31 2	2	CDMA with soft with handoff and "layer 3" same before same "layer 2" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/09 17:58
S31 3	17	virtual with soft with (handoff or hand-off) and @ad<="20040122"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/09 18:05
S31 4	0	virtual with soft-handoff and @ad<="20040122"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/09 18:04
S31 5	1039	CDMA with soft with (handoff or hand-off) and @ad<="20040122"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/09 18:05
S31 6	1	CDMA with soft with (handoff or hand-off) with virtual and @ad<="20040122"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/09 18:05
S31 7	173	370/331,338,401.ccls. and CDMA with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/13 07:52
S31 8	8	370/331,338,401.ccls. and CDMA with soft with handoff and "layer 2" and "layer 3" and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/13 07:06
S31 9	9	370/331,338,401.ccls. and CDMA with soft with handoff and "layer 2" and "layer 3" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:48
S32 0	0	370/331,338,401.ccls. and virtual adj soft adj handoff and "layer 2" and "layer 3" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:05
S32 1	3	370/331,338,401.ccls. and virtual adj soft adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:12
S32 2	5	virtual adj soft adj handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:14

S32 3	0	virtual adj soft-handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:13
S32 4	0	virtual with soft-handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:13
S32 5	10	virtual with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:35
S32 6	3	virtual with soft with handoff and CDMA with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:21
S32 7	0	CDMA with virtual with soft with handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:35
S32 8	3	CDMA with virtual with soft and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:49
S32 9	0	370/331,338,401.ccls. and PDA with computer with handoff and "layer 2" and "layer 3" and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:48
S33 0	0	CDMA with virtual with soft and PDA and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:49
S33 1	523	handoff and PDA with computer and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 09:54
S33 2	333	handoff and PDA with laptop and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 07:50
S33 3	4	370/331,338,401.ccls. and CDMA with soft with handoff and PDA with mobile and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/13 07:52
S33 4	3	370/331,338,401.ccls. and handoff and subnet with mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:06
S33 5	6	370/331,338,401.ccls. and handoff and mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:06
S33 6	6	370/331,338,401.ccls. and handoff and mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:07
S33 7	3	370/331,338,401.ccls. and handoff and "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:24
S33 8	8	370/331,338,401.ccls. and roam\$3 and "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:26
S33 9	0	370/331,338,401.ccls. and hand-off and "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:52
S34 0	0	roam\$3 with "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:13
S34 1	677	"subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:13

S34 2	0	370/331,338,401.ccls. and handoff same "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:13
S34 3	0	370/331,338,401.ccls. and handoff with "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:13
S34 4	9	370/331,338,401.ccls. and IP with mobility and "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:16
S34 5	0	370/331,338,401.ccls. and mobility and new with "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:16
S34 6	5	370/331,338,401.ccls. and new with "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:17
S34 7	33	new with "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:19
S34 8	6	new with "subnet mask" and IP with mobility and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:20
S34 9	86	"subnet mask" and IP with mobile and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:21
S35 0	25	"subnet mask" and IP with mobile and handoff and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:24
S35 1	1	370/331,338,401.ccls. and roam\$3 with seamless and subnet with mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:27
S35 2	1	"370"/\$.ccls. and roam\$3 with seamless and subnet with mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:27
S35 3	1	"370"/\$.ccls. and (roam\$3 or handoff) with seamless and subnet with mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:27
S35 4	1	"370"/\$.ccls. and (roam\$3 or handoff) with seamless and mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:27
S35 5	33	"370"/\$.ccls. and (roam\$3 or handoff) and mask with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:30
S35 6	2	"370"/\$.ccls. and (roam\$3 or handoff) and new with subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:31
S35 7	2	"370"/\$.ccls. and (roam\$3 or handoff) and DHCP with IP with subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:33

S35 8	76	"370"/\$.ccls. and rezaiifar and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:33
S35 9	8	"370"/\$.ccls. and rezaiifar and mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:34
S36 0	6	hand-off and "subnet mask" with IP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:53
S36 1	7	455/435.1,436,437,433,439,442. ccls. and new with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:54
S36 2	0	370/331,400,401,338.ccls. and new with AP with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:55
S36 3	3	370/331,400,401,338.ccls. and AP with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:55
S36 4	141	370/331,400,401,338.ccls. and subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:59
S36 5	15	370/331,400,401,338.ccls. and IP with mobility and subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:07
S36 6	3	370/331,400,401,338.ccls. and IP with mobility with AP and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:07
S36 7	1	370/331,400,401,338.ccls. and mask with handover and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:08
S36 8	15	370/331,400,401,338.ccls. and DHCP with IP with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:09
S36 9	78	370/331,400,401,338.ccls. and mask and (handover or handoff or roam\$3) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:34
S37 0	0	370/331,400,401,338.ccls. and "subnet mask" with new with network and (handover or handoff or roam\$3) and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:11
S37 1	0	370/331,400,401,338.ccls. and "subnet mask" with new with network and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:11
S37 2	10	"subnet mask" with new with network and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:11
S37 3	8	370/331,400,401,338.ccls. and subnet with mask with new and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:36
S37 4	17	370/331,400,401,338.ccls. and handoff with subnet with address and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:40

S37 5	0	370/331,400,401,338.ccls. and handoff with subnet with address with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:38
S37 6	0	370/331,400,401,338.ccls. and handoff with subnet adj mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:40
S37 7	0	370/331,400,401,338.ccls. and handoff same subnet adj mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:40
S37 8	5	370/331,400,401,338.ccls. and handoff with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:41
S37 9	0	370/331,400,401,338.ccls. and handoff with mask with subnet and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:41
S38 0	0	370/331,400,401,338.ccls. and roam\$3 with mask with subnet and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:41
S38 1	4	roam\$3 with mask with subnet and @ad<="20040122"	US-PGPUB; USPAT	OR	ON	2005/06/13 14:41
S38 2	112	370/331,338,401.ccls. and subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:14
S38 3	16	370/331,338,401.ccls. and subnet with mask and mobile adj IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:27
S38 4	0	370/331,338,401.ccls. and new with subnet with mask and mobile adj IP and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:27
S38 5	5	370/331,338,401.ccls. and new with subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:27
S38 6	61	370/331,338,401.ccls. and (roam\$3 or handoff) and new with subnet and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:33
S38 7	0	370/331,338,401.ccls. and (roam\$3 or handoff) and new with subnet with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:34
S38 8	6	370/331,338,401.ccls. and (roam\$3 or handoff) and new with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:33
S38 9	33	370/331,338,401.ccls. and (roam\$3 or handoff) and new with subnet with address and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:37
S39 0	35	access adj point and (roam\$3 or handoff) and new with subnet with address and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:48

S39 1	26	access adj point and (roam\$3 or handoff) and subnet adj mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 07:48
S39 2	1	mask with prior with handoff	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:25
S39 3	0	IP with mask with prior with handoff	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:25
S39 4	0	IP with mask with handoff	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:25
S39 5	7	subnet with prior with handoff	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:26
S39 6	21	inter-domain with mobility	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:27
S39 7	6	inter-domain with mobility and mask	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:51
S39 8	1	inter-domain with mobility and prior with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:35
S39 9	36	address with prior with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:31
S40 0	7	address with subnet with prior with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:31
S40 1	6	inter-domain with mobility and before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:04
S40 2	5445	subnet before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:36
S40 3	2271	subnet with mask before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:36
S40 4	0	subnet with mask with before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:36
S40 5	0	mask with before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:36
S40 6	40	IP with before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:41
S40 7	0	mask with before with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 08:41
S40 8	24	mask with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:04
S40 9	5	"subnet mask" with (roam\$3 or handoff)	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:04
S41 0	5	inter-domain same "subnet mask"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:06
S41 1	17	access adj point same "subnet mask"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:06
S41 2	13	subnet adj roaming and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:15



S41 3	0	subnet adj roaming with masl and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:15
S41 4	0	subnet adj roaming with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:26
S41 5	6	inter-domain with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:41
S41 6	17	inter-domain same mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:43
S41 7	157	seamless same mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:43
S41 8	0	seamless with roam\$3 same mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:43
S41 9	77	seamless with mask and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:44
S42 0	10	"subnet mask" same (roam\$3 or hand-off or Handoff) and @ad<="20040122"	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:44
S42 1	41	IP with mobility and subnet adj mask	US-PGPUB; USPAT	OR	OFF	2005/06/23 09:51